# Alex Marie DIY

# Pattern Drafting - The Basic Trousers (Pants)

## Things you will need

- 12 inch Straight Ruler or 2 x 18 inch (5 x 45 cm) clear grid ruler
- L-Square or Set Square
- Vary form curve / French curve
- Pencils, Eraser and Sharpener Carbon Paper
- · Tracing wheel
- Scissors (Paper and Fabric)
- Sewing Machine
- 3 yards/ 2.5 metres of Muslin Fabric (Unbleached Calico/Plain Poplin)
- Roll of Paper (Brown, Dot, Swedish) 50 x 50 inch (125 x 125 cm)
- Metre rule or yard stick (optional)
- Awl (optional)
- Pattern notcher (optional)
- Masking tape/Sellotape (optional)
- Cardboard Paper (Cardstock)

## Fraction/Decimal Conversion Table

INCHES	Sewing a lit	CENTIMETRES	time
1/8	0.125	1/10	0.1
2/8 or 1/4	0.25	2/10 or 1/5	0.2
3/8	0.375	3/10	0.3
4/8 or 1/2	0.5	4/10 or 2/5	0.4
5/8	0.625	5/10 or 1/2	0.5
6/8 or 3/4	0.75	6/10 or 3/5	0.6
7/8	0.875	7/10	0.7
		8/10 or 4/5	0.8
		9/10	0.9

## Pattern Drafting - The Basic Trousers (Pants)

## Basic Trouser Measurement and Calculation Sheet

#### Measurements

1.	Waist + $\frac{1}{2}$ inch (1.2cm) ease	1/4
2.	Hip + 1 inch (2.5cm) ease	1/4
3.	Hip Depth	
4.	Crotch Length	
5.	Crotch Depth	
6.	Outseam	
7.	Inseam	
8.	Waist to Knee	
9.	Knee	0.140 :
10.	Upper thigh	000-6
11.	Foot	

#### Calculations

Dart = $\frac{1}{4}$ Hip (with ease) - $\frac{1}{4}$ Waist (with ease)	E/	A
Divide answer into 3 parts. One-third will be the		Q
Dart &	Dart =	\$
Crotch Extension = Crotch length - (Crotch	=	Ç.
depth x 2)		8
Front Crotch Ex. = 1/3 of Crotch Extension	=	9
Back Crotch Ex. = 2/3 of Crotch Extension	=	

NB - When working out the dart and crotch calculations, round off your answers to the nearest eighth inch or millimeter. We want only figures that can be found on your ruler. For example, 0.875 on a ruler is the same as  $\frac{7}{8}$  inches, so that is a usable figure, but 0.833 is hard to pinpoint on a ruler.

Sewing a little bit at a time

Therefore, to avoid odd fractions, for instance 2.5 inches can be divided in two ways.

(a) 
$$2.5 = 1 + 1 + 0.5$$
; or

(b) 
$$2.5 = 0.875 + 0.875 + 0.75$$
; or

(c) 
$$2.5 = \frac{7}{8} + \frac{7}{8} + \frac{3}{4}$$

# Pattern Drafting - The Basic Trousers (Pants)

SAMPLE

# Basic Trouser Measurement and Calculation Sheet

#### Measurements

1.	Waist + $\frac{1}{2}$ inch (1.2cm) ease	34.5 + 0.5 = 35	1/4	8.75
2.	Hip + 1 inch (2.5cm) ease	46 + 1 = 47	<u>1</u>	11.75
3.	Hip Depth	9		
4.	Crotch Length	33		
5.	Crotch Depth	12		
6.	Outseam	44.5		
7.	Inseam	32.5		
8.	Waist to Knee	25.5	<b>\</b>	
9.	Knee	20	2	
10.	Upper thigh	27		
11.	Foot	15		

### **Calculations**

<b>Dart</b> = $\frac{1}{4}$ Hip (with ease) - $\frac{1}{4}$ Waist (with ease)	11.75 - 8.75 = 3
Divide answer into 3 parts. One-third will be the	Dart = 1
Dart	2
Crotch Extension = Crotch length - (Crotch	32 - (12 x 2) = 8
depth x 2)	la it at a time a
Front Crotch Ex. = 1/3 of Crotch Extension	<u> 2.625</u> a time
Back Crotch Ex. = 2/3 of Crotch Extension	= 5.25

